## SECTION I-AEROLOGY.

## SOLAR AND SKY RADIATION MEASUREMENTS DURING JULY, 1916.

By HERBERT H. KIMBALL, Professor of Meteorology.

[Dated: Washington, D. C., Sept. 1, 1916.]

For a description of instrumental exposures and an account of the methods of obtaining and reducing the measurements, the reader is referred to the Reviews for January, April, and May, 1916, 44:2, 179, 180, and 244.

The monthly means and departures from normal values given in Table 1 show that direct solar radiation intensities averaged below normal at all stations except Santa Fe, N. Mex., the minus departures being especially pronounced at Madison, Wis. The intensities were unusually low at this station on July 27, 28, and 29, at Lincoln, Nebr., on July 27 and 29, and at Washington, D. C., on July 29, during the prevalence of marked hazy or smoky conditions. Haze or smoke was quite generally recorded during the latter part of July at stations in the northeastern part of the United States, following a period of hot dry weather in the north-Central States-weather conditions that favored intense vertical convection and the introduction of great quantities of dust into the atmosphere. At the same time forest fires were reported in Michigan and in Ontario, Canada. At Washington and Lincoln during this period it was observed that the sun was very red at sunrise, and on the 30th at Washington the sky was so red after sunset that the city fire department was kept busy responding to inquiries as to the location of a supposed conflagration. At Madison the haze was so thick as to cut off sky colors.

Skylight polarization measurements made at Washington on six days give a mean of 54 per cent, with a maximum of 64 per cent on July 5. This latter measurement is above the average July maximum for Washington.

TABLE 1.—Solar radiation intensities during July, 1916. [Gram-calories per minute per square centimeter of normal surface.] Washington, D. C.

	Sun's zenith distance.												
	0.0°	48.3°	60.0°	66.5°	70.7°	73.6°	75.7°	77.4°	78.7°	79.8°			
Date.		Air mass.											
	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	5.0	5.5			
A, M.	Gr	Gr cal. 1, 31	Gr cal.	Gr cal.	Gr cal. 1, 21	Gr cal.	Gr cal.	Gr cal. 1.11	Gr cal.	Gr			
July 5 6		1.25 1.22	1.15 1.08	1.07 0.99	0.99 0.89	0,92	0.85	1.11					
12 13 29	1. 22 0. 89	0.98 1.10 0.74	0.83 1.00 0.73	0.70 0.91 0.65	0.84 0.57	0.50	0.44	0.37					
Monthly means Depar- ture (rom	1.06	1. 10	0. 96	0. 86	0. 90	(0.71)	(0. 64)	(0. 74)					
8 - year normal	0. 19	-0.02	-0.03	<b>-0.05</b>	+0.01	-0.06	-0. 01	+0.07	<b> </b>				
P. M. July 6 12				0.91	0. 89 0. 81	0.79	0.73						
Monthly means Depar- ture from		(1.09)		(0. 91)	(0. 85)	(0. 79)	(0. 73)		ļ				
S-year normal		  +0.05	<u> </u>	+0.05	+0.05	-0.05	-0.02	]	<u> </u>	Ì			

Table I.—Solar radiation intensities during July, 1916—Continued.

[Gram-calories per minute per square centimeter of normal surface.]

Madison. Wis.

	Sun's zenith distance,												
Deta	0.0°	48.3°	60.0°	66.5°	70.7°	73.6°	75.7°	77.4°	78.7°	79.8			
Date.	Air mass.												
	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	5.0	5.5			
A.M.	Gr cal. 1.18	Gr cal.	Gr	Gr cal.	Gr cal.	Gr cal.	Gr cul.	Gr	Gr	Gr			
10 11 18	1. 24	1.14 1.12 0.97	1.02 1.01 0.90	0.92									
21 22 27	1.29 1.24	1. 23 1. 19 0. 75	1.15 1.10 0.65	1.07 1.03	1.00	0.93							
28 29		0. 82 0. 71	0. 67 0. 64										
Monthly means Depar- ture from	1.11	0. 99	0.89	1.01	(1.00)	(0. 93)	<b></b>			 			
6-year normal	-0. 10	-0. 12	-0. 12	+0.08						ļ			
P. M. July 11 21 27 28			1. 05 0. 71	0.96	0.90								
Monthly means Depar- ture from		0. 95	(0.88)	(0. 96)	(0. 90)		 						
6 - year normal		<b>-0.</b> 16	-0.01			<b></b> .	ļ 						

## Lincoln, Nebr

Lincoin, Nebr.											
A, M.											
July 1		1.32	1. 22	1.12	1.03	1.00	0.86				
6	1.26	1.16	1.08	0.97	0.92	0.89	0.83				
7	1.35		1.11	1.01	0.93	0.89	0.85				
	1.17	1.12	1.03		0.82	0.78	0.69				
10		1.05	0.95	0.82	0.72	0.64					
11 15		1.00 1.16	0.88 1.08	0.79	0.71	0.65			<i></i>	[	
18	1. 23	1.15	1.00	0.98	0.89	0.81					
20	1. 43	1.35	1.26	1.16	1.05	0.95	0.89				
21	1.42	2.00		1.10	1.00	0.00	0.00				
22											
25		1, 24	1.14	1.05	0.97	0.95	0.88				
26					0.71						
27					0.65	0.61					
28		1.24	1.15	1.07	0.99	0.93	0.85				
29		0.96	0.79	0.73	0.61	0.54	0.48				
31	1.31	1.11	1.00				<b></b>		<b></b> .	ļ	
	ļ		ļ		Į	i .	}	l		į .	
Monthly	l	1	١	l		1		ŀ	1		
means	1.30	1.16	1.05	0. 97	0.85	0.80	0.79				
Depar-							l			ĺ	
ture from	1	ļ								l	
2 - year normal	-0.03	-0.04	-0.05		٠				i	!	
normai	-U. U3	-U. U4	-0.05	-0.05	-0.06	-0.05	-0.03	}- <i></i>			
Р. М.	j	l		l	ì	1	į.	1	İ	1	
July 5	1	1.19	1.04	0.94	0.85	0.78	0.74	<b>!</b>		1	
		1.15	1.07	0.99	0.90	0. 82				!	
		1.18	1.02	0.87	0.79	0.72	0.65				
10		1	0.98	0.90	0.79	0.71	0.63				
		1.17	1.00	0.84	0.10	0.11	0.00		,		
15			1.01	0.92	0.84	0.77	0.70				
17			1.16							!	
18	1	0.98	0.86		l			l		1	
19			1. 22	1.12	1.03	1.00	0.89				
20		1. 27	1.18	1.08	0.98	0.92	0.83				
21		1.24	1.17	1.08	1.00	0.93	0.83				
26		l	l	0.73						1	
28	·{	1.18	1.04	0.89	0.77	0.68	0.62				
Mouthly		1			[		l	l			
means		1.17	1.06	0.94	0.88	0.81	0. 73	l		1	
Depar-						1	1				
ture from	1	l .	ļ	1	1	[	<b>!</b>	1	1	ì	
2-year	i	1	I	I	I	l		I	i	1	
normal		-0.01	-0.01	-0.03	-0.01	-0.01	-0.01	l	l	l	

TABLE 1.—Solar radiation intensities during July, 1916—Continued.

[Gram-calories per minute per square centimeter of normal surface.]

Santa Pe. N. Mex.

	Sun's zenith distance.											
	0.0°	48.3°	60.0°	66.5°	70.7°	73.6°	75.7°	77.4°	78.7°	79.8°		
Date.	Air mass.											
	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	5.0	5.5		
July 1	Gr cal.	Gr cal. 1.34 1.44	Gr cal. 1. 28 1. 37	Gr cal. 1. 23 1. 30	Gr cal. 1. 19 1. 21	Gr cal. 1.13 1.14	Gr cal. 1.07 1.08	Gr cal. 1.02	Gr cal.	Gr cal.		
13 14 17 19	1. 42 1. 42	1.31 1.32 1.30 1.37	1. 27 1. 21 1. 23	1. 20 1. 16 1. 17	1. 12 1. 14 1. 11	1. 07 1. 06 1. 04	1.02 0.97	0.90				
Monthly means Depar- ture from	1.41	1.35	1. 27	1.21	1. 15	1. 09	1. 04	(0. 96)				
4-year normal	-0.02	+0.01	+0.02	±0.00			. <b>.</b>			ļ		

TABLE 2 - Vapor pressure at pyrheliometric stations on days when solar radiation intensities were measured.

Washing	ton, 1	o. c.	Madiso	on, W	is.	Lincolı	n, Nel	or.	Santa Fe	Mex.	
Dates.	8 a.m.	8 p. m.	Dates.	8 a.m.	8 p. m.	Dates.	8 a.m.	8 p. m.	Dates.	8 a.m.	8 p. <b>m</b> .
1916. July 5 6 7 12 13 29	10. 59 10. 97 13. 61 18. 59 18. 59	Mm. 11. 368 12. 68 15. 65 19. 23 20. 57 13. 61	11 18 21 22 27	13. 61 9. 47 12. 24 15. 65 13. 13 14. 10 16. 79 17. 96	Mm. 12. 24 13. 61 18. 59 13. 61 16. 20 17. 37 16. 79	6 7 8 10 11 14 15 17 18 19 20 21 22 25 25 27 28 29 29	17. 37 16. 20 15. 11 12. 24 12. 68 15. 65 16. 79 16. 79 16. 79 12. 68 11. 38 14. 60 12. 68 13. 13	13. 61 18. 59 14. 60 19. 23 19. 89 16. 20 10. 21 13. 13 15. 11 13. 61 13. 65 15. 65	1916. July 1 3 13 14 17 19 21	5.36 4.57 8.48 8.48 7.57	2. 87 8. 48 6. 76 10. 21 9. 14

Table 3 shows a deficiency of radiation at Washington for each decade, but especially during the last decade, the deficiency for the month amounting to about 10.9 per cent of the average July radiation. At Madison there was an excess of radiation during each decade, the excess for the month amounting to 10.6 per cent of the average July total.

The Callendar recorder at Lincoln, Nebr., has been in operation only since June 30, 1915. The dealy normals are therefore for a two-year period. The departures indicate an excess in the total radiation in 1916 over that

measured in 1915 of about 18 per cent.

Table 3.—Daily totals and departures of solar and sky radiation during July, 1916.

[Gram-calories per square centimeter of horizontal surface.]

Day of		Г	aily tots	ıls.	Dep	normal.		Excess or deficiency since first of month.			
mon	th.	Wash- ington.	Madi- son.	Lin- coln.	Wash- ington.	Madi- son.	Lin- coln.	Wash- ington.	Madi- son.	Lin- coln.	
July	1	Grcal. 510	Grcal. 621	Grcal.	Grcal. -25	Grcul.	Grcal. 88	Grcal. -25	Gr -cal.	Grcal.	
	2	481	583	716	-54	30	122	_79	97	210	
	3	520	555	673	-14	3	81	-93	100	291	
	4	561	673	411	27	122	-180	-66	222	111	
	5	555 638	652 673	697 735	22 106	102 125	108 148	-44 62	324 449	219 367	
	7	676	651	709	145	105	124	207	554	491	
	6 7 8	580	523	658	50	-20	75	257	534	566	
	9	244	701	596	-285	160	15	-28	694	581	
	10	240	680	683	-288	142	109	-316	ز836	690	
	11	564	664	647	37	128	70	-279	964	760	
	12	656	365	453	130	-168	-122	-149	796.	638	
	13	602	596	381	77	65	-192	-72	861 <b>£</b>	446	
	14	479	607	642	-44	79	71	-116	940	517	
	15 16	569 505	565 407	671 422	47 —15	40 -116	102 -144	-69 -84	980 864	619	
	17	505 225	608	368	-13 -293	88	-196	-377	952	475 279	
	18	549	626	667	32	109	108	-345	1,061	385	
	19	410	486	482	-105	-29	<b>— 76</b>	-450	1,032	309	
	20	414	484	743	99	-28	188	-549	1,004	497	
	1	ecade d	eparture		. <i>.</i>			-233	168	—193	
	21 22	466	660	705	-46	151	153	595	1,155	650	
	22	328 413	661	607	-182	154	58	$-777 \\ -872$	1,309	708	
	23 24	306	614 498	574 609	-95 -200	110 3	28 66	-872 $-1,072$	1,419 1,416	736 802	
	25	247	527	662	-257	29	122	-1,329	1,445	924	
	26	358	554	627	-145	59	90	-1,474	1,504	1,014	
	27	547	555	635	46	63	101	-1,428	1,567	1,115	
	28	126	555	653	-373	66	122	-1,801	1,633	1,237	
	29 30	582 540	471 531	589 570	85 45	-15 48	61 45	-1,716 $-1,671$	1,618	1,298	
	31	414	526	567	<b>-79</b>	46	45 45	-1,750	1,666 1,712	1,343 1,388	
		Decade d						-1,201	+708	+891	
Excess	or	defi-}gr	-					<b>-6,487</b>	+1,643		
cienc first		since}	er cent					7.9	2.0		